



Product Safety Sheet for Supra CAT 8 STP FRHF

Product Name: Supra CAT 8 STP FRHF

Manufacturer Information: Supra Cables

Name: Supra Cables / Jenving Technology AB

Address: Bastebacka 112-113, 45991 Ljungskile, Sweden

Contact: Jörgen Wahlsberg, +46-522-698990, www.supracables.se

1. Product Description

Product Type: Category 8 shielded twisted pair (S/STP) Ethernet network cable on a 150 m bobbin, designed for ultra-high-speed data transmission with maximum EMI protection.

Applications:

Intended for professional network installations, data centers, and high-performance home or office networks. Suitable for:

- 40GBASE-T Ethernet networks
- High-bandwidth video and audio streaming
- Gaming and multimedia distribution
- VoIP and Power over Ethernet (PoE/PoE+)
- Structured cabling systems in commercial and residential buildings

2. Safety Standards and Compliance

Relevant Directives and Standards:

- Low Voltage Directive (LVD) 2014/35/EU
- RoHS Directive 2011/65/EU (RoHS 3 compliant)
- Construction Products Regulation (CPR) (EU) No 305/2011 – Fire reaction class Dca-s1,d1
- General Product Safety Regulation (GPSR) 2023/988
- ISO/IEC 11801 structured cabling standard
- EN 50173 generic cabling systems
- CE Marking: This product conforms to applicable EU safety, health, and environmental protection requirements and bears the CE marking where required.

3. Risk Assessment and Mitigation

Potential Hazards:

- Electrical Shock: Risk of electric shock if the cables are improperly handled, installed, or if the insulation is damaged.
- Fire Hazard: Potential fire risk if the cables are overloaded beyond their specified voltage capacity.
- Physical Damage: Risk of damage to the cables if subjected to excessive bending, crushing, or abrasion.

Mitigation Measures:

- Individually shielded twisted pairs plus overall braid shield reduce EMI and signal loss.
- Flame-retardant halogen-free jacket minimizes fire risk and smoke/toxicity.
- Flexible installation-grade design allows routing through conduits and trays without damage.
- Compliant with CPR fire class for safe use in public and professional buildings.

4. Technical Specifications

- Conductor Material: 7-strand oxygen-free copper (OFC), 5N purity
- Conductor Size: AWG 26 (~0.23 mm²)
- Number of Pairs: 4 twisted pairs
- Insulation: Foam polyethylene (PE)
- Shielding: Individual foil per pair + overall tinned copper braid
- Outer Jacket: Halogen-free flame-retardant PE (FRHF)

5. Labeling and Traceability

Each product is labeled with:

- Product Name
- Serial/Batch Number
- Manufacturer Contact Information
- Meter Markings for length measurement
- CE Marking

6. Instructions for Safe Use

- Ensure the cable is appropriate for the intended audio application and power requirements.
- Do not exceed the cable's specified voltage capacity to prevent overheating.
- Avoid sharp bends, twisting, or mechanical stress that could damage the cable.
- Inspect the cable for any signs of damage before installation; do not use if the insulation or conductors are compromised.
- Install in accordance with local electrical codes and regulations, and structured cabling standards.

7. Incident Management and Reporting

Post-Market Surveillance:

- Supra Cables monitors product performance and user feedback to identify potential safety issues.

Incident Reporting:

- In case of a safety issue, customers are encouraged to contact Supra Cables immediately.
- Incidents will be reported to relevant authorities via the EU Safety Business Gateway as required by GPSR.


8. Declaration of Conformity

Supra Cables declares that this product complies with the following directives and standards:

- CE, RoHS, REACH

9. Disposal Instructions

- Dispose of this product in accordance with local electronic waste disposal regulations.
- Do not discard with general household waste.



Signed by: Jörgen Wahlsberg
Date: 2026-03-05

